


33080 REMI LED GU10-NW

LED light source

5905339330802



LED light sources Kanlux REMI LED are designed for small-size luminaires. Their illumination angle is 120°. The bulb is distinguished by its small size so it will be useful for neat, small lamps.

GENERAL DATA:

Colour: white
Compatible with a dimmer: no
Height [mm]: 46
Diameter [mm]: 35
Mercury content: no

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Lamp-power factor: 0.4
Rated power [W]: 2,2
Material: plastic
Light source: PAR11
Diode type: LED SMD
Total rated luminous flux [lm]: 200
Colour temperature: white
Colour temperature [K]: 4000
Colour uniformity [SDCM]: ≤6
Colour-rendering index Ra: ≥80
Cap: GU10
Rated lamp-service life [h]: 15000
Number of on/off cycles: ≥15000
Rated beam angle [°]: 120
Rated light level [°]: 120
Light source EEL: A++
Lamp rated current [mA]: 20
Annual power consumption [kWh/1000h]: 2
Ignition time [s]: ≤0,5
Lamp-heating time to 60% of the full luminous flux [s]:
Negligible
Lamp-heating time to 95% [s]: <2
Lamp premature-failure indicator: <5% po 1000h
Lamp service life factor after the period of 6000h [%]:
≥90
Luminous flux retention factor at the end of rated service life [%]: ≥70
Luminous flux retention factor after the period of 6000h [%]: ≥80
Rated useful luminous flux [lm]: 165

LED light source

Rated peak light intensity [cd]: 80

Light source shape: spot

LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 10

Number of units in the secondary packaging: 10

Number of units in the packaging: 100

Net unit weight [g]: 18

Grammage [g]: 36.6

Length of a unit pack [cm]: 8.5

Width of a unit pack [cm]: 5

Height of a unit pack [cm]: 10.5


Weight of a cardboard box [kg]: 3.66

Width of a cardboard box [cm]: 30

Height of a cardboard box [cm]: 24

Length of a cardboard box [cm]: 47

Volume of a cardboard box [m³]: 0.03384



KANLUX S.A. (kat 33080) REMI LED GU10-NW / LDC (Polar)

Luminaire: KANLUX S.A. (kat 33080) REMI LED GU10-NW
Lamps: 1 x REMI LED GU10-NW

