

26984 VARSO LED 24W-NW-O-SE

Ceiling-mounted LED light fitting

5905339269843
















Kanlux VARSO LED is a family of hermetic ceiling light fixtures with an integrated LED light source. It is a great choice both for investment (housing co-operatives, hotels) and for individual households where increased resistance to humidity (IP54) is needed.

GENERAL DATA:

Colour: white

Place of assembly: ceiling mounted
Place of application: Indoors and outdoors
Micro-interval between relay contacts: yes

Minimum distance from the illuminated object: 0,5m

Compatible with a dimmer: no

Wykrywanie ruchu: yes Replaceable light source: no

Height [mm]: 49 Diameter [mm]: 327

Sensitivity regulation: yes Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50/60 Maximum power [W]: 24

Class of protection against electric shock: ||

Lampshade material: plastic

Diode type: LED SMD
Luminous flux [Im]: 2280
Colour temperature: white
Colour temperature [K]: 4000
Colour uniformity [SDCM]: ≤6
Colour-rendering index Ra: ≥80

Service life [h]: 20000

Number of on/off cycles: ≥20000

Lighting angle [°]: 120

Luminous efficiency of the lamp [lm/W]: 95

Ambient temperature range to which the product can be

exposed: -20÷35

Enclosure material: plastic **Sensor type**: microwave

Connection type: Self-clamping block

Range of sections of wires used [mm²]: 0,5-2,5

The fixture set includes built-in LED's with the following

energy classes: A++,A+,A

Sensor-operation time [second-minute]: 5-5





26984 VARSO LED 24W-NW-O-SE

Ceiling-mounted LED light fitting



Lamp-heating time [s]: ≤ 1 Lamp-ignition time [s]: ≤ 0.5

Sensor-operation frequency [MHz]: 5,8

sensor working angle [°]: 360

Illumination-level setpoint by which the sensor detects

movement [lx]: 2/10/50/off

IP class: 54

Sensor range[m]: max 9

LOGISTIC DATA:

Unit of measurement: unit Packaging method: 10

Number of units in the secondary packaging: $\boldsymbol{1}$


Number of units in the packaging: 10

Net unit weight [g]: 906 Grammage [g]: 1162

Height of a unit pack [cm]: 33.5
Weight of a cardboard box [kg]: 11.62
Width of a cardboard box [cm]: 35
Height of a cardboard box [cm]: 36.5
Length of a cardboard box [cm]: 57
Volume of a cardboard box [m³]: 0.072818

ADDITIONAL INFORMATION:

- PZH attestation: Number BK/K/0352/01/2018, valid until 2023-05-30
- VARSO LED + SE version with a motion sensor








26984 VARSO LED 24W-NW-O-SE

Ceiling-mounted LED light fitting



We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.

