


Ceiling-mounted spotlight fitting

5905339275677



The Kanlux RITI is in aluminium, the sandblasted surface structure is matte-lacquered, and the reflector is covered with a layer of gold-copper lacquer with a shiny pigment. The Kanlux RITI series is characterised by good-quality workmanship and modern design. It can be successfully used as a stand-alone lighting system, or as a combination of several fixtures.

GENERAL DATA:

Colour: black

Place of assembly: ceiling mounted

Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

Replaceable light source: yes

Light source included: no

Height [mm]: 110

Diameter [mm]: 85

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC

Rated frequency [Hz]: 50

Maximum power [W]: max 25

Class of protection against electric shock: I

Light source: PAR16

Cap: GU10

Ambient temperature range to which the product can be exposed: 5÷25

The fixture is adapted to the light sources of the following energy classes: A++,A+,A,B,C,D,E

Enclosure material: aluminum alloy

Connection type: Bolt terminal block

Range of sections of wires used [mm²]: 0,75÷1,5

IP class: 20

LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 20

Number of units in the secondary packaging: 1

Number of units in the packaging: 20

Net unit weight [g]: 300

Grammage [g]: 363

Length of a unit pack [cm]: 9

Width of a unit pack [cm]: 9

Height of a unit pack [cm]: 12

Weight of a cardboard box [kg]: 7.26

Width of a cardboard box [cm]: 20.5

Height of a cardboard box [cm]: 27

Length of a cardboard box [cm] : 46.5

27567 RITI GU10 B/B

Ceiling-mounted spotlight fitting



Volume of a cardboard box [m³]: 0.025738

ACCESSORIES:

27574 RITI REF SR Replacement reflector RITI REF SR silver

