

SylSpot White

SYLSPOT KIT ROUND 345LM 830 ADJ IP20 WHT

0005725



Product features

- Recessed spotlight Kit with RefLED GU10 LED spotlight lamp Ø50mm. Polycarbonate body, round bezel ring in white color finish, vertical tilt 25°, IP20 degree of protection, class II. Lumen output 345lm, CCT 3000K, beam angle 36°, power 4,5W, efficacy 77 lm/W, lifetime 15.000h. Outer dimensions: Ø80x90mm, cut-out Ø68-76mm. Suitable for internal environment only and for LED lamps only.



PRODUCT OVERVIEW

| | |
|---------------------------------|--|
| Product name | SYLSPOT KIT ROUND 345LM 830 ADJ IP20 WHT |
| Technology | LED (replaceable lamp) |
| Housing | PC Polycarbonate |
| Mount | Ceiling recessed mounting |
| Environment | Indoor |
| General application | Residential & Consumer |
| ETIM Class | EC001744 |
| Warranty | 3 years |
| Fixture luminous flux (lm) | 345 |
| Luminaire efficacy (lm/W) | 77 |
| Colour temperature (K) | 3000 |
| Light colour | Warm White |
| CRI (Ra) | 80 |
| Colour Variation Initial (SDCM) | SDCM6 |
| Beam Angle (°) | 36 |
| Photobiological Risk Group | RG1 |
| Total power consumption (W) | 4.5 |
| Electrical protection | Class II |
| Dimmable | No |
| Housing colour | White |
| IP rating | IP20 |
| IK rating | IK02 |
| Product EAN number | 5410288057255 |
| Included lamp | 0028433 |

DATA TABLE

General data

| | |
|---------------------|--|
| Product name | SYLSPOT KIT ROUND 345LM 830 ADJ IP20 WHT |
| Technology | LED (replaceable lamp) |
| Housing | PC Polycarbonate |
| Mount | Ceiling recessed mounting |
| Environment | Indoor |
| General application | Residential & Consumer |

SylSpot White

SYLSPOT KIT ROUND 345LM 830 ADJ IP20 WHT
0005725

| | |
|------------|----------|
| ETIM Class | EC001744 |
| Warranty | 3 years |

Optical data

| | |
|---------------------------------|------------|
| Fixture luminous flux (lm) | 345 |
| Luminaire efficacy (lm/W) | 77 |
| Colour temperature (K) | 3000 |
| Colour Code | 830 |
| Light colour | Warm White |
| CRI (Ra) | 80 |
| Colour Variation Initial (SDCM) | SDCM6 |
| Beam Angle (°) | 36 |
| Photobiological Risk Group | RG1 |

Electrical data

| | |
|-----------------------------------|-----------|
| Total power consumption (W) | 4.5 |
| Mains voltage (V) | 220-240V~ |
| Electrical protection | Class II |
| Dimmable | No |
| Inrush Current (A) | 10 |
| Inrush Duration (µs) | 150 |
| Glow Wire Test (°C) | 650 |
| Nominal Frequency (Hz) | 50/60Hz |
| Max. Luminaires per 10A C Breaker | 100 |
| Max. Luminaires per 13A C Breaker | 130 |
| Max. Luminaires per 16A C Breaker | 160 |
| Max. Luminaires per 20A C Breaker | 200 |

Lifetime data

| | |
|------------------|-------|
| Lifespan L70 B50 | 15000 |
|------------------|-------|

Physical data

| | |
|-------------------------------|-------|
| Housing colour | White |
| IP rating | IP20 |
| IK rating | IK02 |
| Nominal Product Length (mm) | 90 |
| Nominal Product Width (mm) | 90 |
| Nominal Product Height (mm) | 85 |
| Nominal Product Diameter (mm) | 90 |
| Weight (kg) | 0.09 |

Packaging



| | |
|---------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 5410288057255 |
| Packaging single length / height (cm) | 9.0 |
| Packaging single width (cm) | 7.0 |
| Packaging single depth (cm) | 11.5 |
| DUN14 (outer) | 15410288057252 |
| Units per outer package | 48 |

SylSpot White


SYLSPOT KIT ROUND 345LM 830 ADJ IP20 WHT
0005725

| | |
|--------------------------------------|------|
| Packaging outer length / height (cm) | 46.8 |
| Packaging outer width (cm) | 40.0 |
| Packaging outer depth (cm) | 29.1 |

PHOTOMETRY




TECHNICAL DRAWINGS





SylSpot White


SYLSPOT KIT ROUND 345LM 830 ADJ IP20 WHT
0005725


SYLVANIA 0005725


 This luminaire is compatible with bulbs of the energy classes:





The luminaire is sold with a bulb of the energy class: 

874/2012 

 This luminaire is compatible with bulbs of the energy classes:

The luminaire is sold with a bulb of the energy class: 



SYLVANIA 0005725 

874/2012